

Architectural FILMS







FEEL THE PROTECTION. ENJOY LUXURY.

INANOFILMS®

ARCHITECTURAL WINDOW FILMS

20 YEARS WARRANTY





INANOFILMS®

PREMIUM ARCHITECTURE WINDOW FILMS

INANOFILMS Architectural Window Films can improve the performance and transform the appearance of commercial, industrial and residential buildings.

Major glazing system enhancements are available for both interior and exterior use, including solar protection, design and window safety applications.







The high performance INANOFILMS Solar Window Films filter damaging solar radiation and reduce interior heat build-up providing multiple benefits to occupants such as enhanced comfort and reduced glare, less fading of furniture and lower energy cost.

With a comprehensive range of finishes available, the level of comfort and privacy can be selected, and by applying the films internally or externally, the appearance of the building will be transformed.

INANOFILMS has developed an attractive range of films to suit projects where enhancing a building's interior and exterior appearance is paramount.

Explore the selection of Design Window Films and discover how a building project can enjoy both aesthetics and excellent solar protection.

The Safety Window Films is designed to improve both safety and security and offers a range of protection level to glass breakages caused by accident, malicious intent, or extreme weather conditions. Additional surface protection solutions are also available.

INANOFILMS provides you with full sales and technical support, to ensure the best possible application results.

INTERIOR FILM

EXTERIOR FILM





PREMIUM ARCHITECTURE WINDOW FILMS

65%

99.00%

EM-GOLD

FC SERIES	Visible Light Transmission (VLT)	IRR Heat Rejected	UV Radiation Rejection	Total Solar Energy Rejected	Warranty (Years)	Thickness
FC-80	73%	96.30%	99.99%	48%	8	2.0 Mil
FC-75 (SILVER EFFECT)	73%	96.20%	99.99%	48%	8	2.0 Mil
EM SERIES	Visible Light Transmission (VLT)	IRR Heat Rejected	UV Radiation Rejection	Total Solar Energy Rejected	Warranty (Years)	Thickness
EM-70 (EXTERIOR)	72%	85.40%	99.99%	82%	20	2.0 Mil
EM-90	72%	92.00%	99.99%	86%	10	2.0 Mil

All films come with manufacturer's limited warranty; see dealer for warranty details.

99.99%

95%

20

2.0 Mil



